

SIDEP+ CLINIC

The mission of SIDEP+ clinic is to provide HIV and other STBBI prevention services to men who have sex with men and trans people.*

Urgent need for treatment of gonorrhea, chlamydia or syphilis?

- Call 514 527-9565 ext. 1480 (secretary on site from Monday to Friday 8 a.m. to 15:30 p.m.)

Walk-in clinics with RÉZO

- Tuesday and Thursday at 2 p.m. The number of places are limited (6-12 depending on the number of nurses). Places fill up quickly.

Book an appointment online with our nursing staff

[Book an appointment](#)

Clinique SIDEP+

CLSC de la Visitation

1705, rue de la Visitation

Montréal H2L 3C3

Tel.: 514-527-9565 x 1480

[Laboratory test results](#)

Located in Centre-Sud, the [CIUSSS du Centre-Sud-de-l'Île-de-Montréal's](#) SIDEP+ clinic offers **free**, anonymous access (on demand) to quality services for [STBBI prevention](#). A dedicated multidisciplinary team provides confidential screening and treatment of the most common STIs as well as pre- or post-exposure HIV prophylaxis.

SIDEP: Services intégrés de dépistage et de prévention du VIH/SIDA et autres infections transmises sexuellement et par le sang (ITSS) or Integrated screening and prevention services for HIV and other sexually transmitted and blood-borne infections (STBBI)

La prophylaxie post-exposition (PPE) au VIH

La prophylaxie post-exposition (PPE) est un traitement de 28 jours contre le VIH qui doit être débuté à l'intérieur de 72 heures d'un risque élevé d'exposition au

VIH. Pendant nos heures d'ouvertures vous pouvez vous présenter à la réception et mentionnez que vous voulez rencontrer un infirmier de la Clinique SIDEP+ pour une PPE.

Pendant nos fermetures, veuillez consulter une pharmacie.

[Pour plus d'information.](#)

Services

The following services are provided at the SIDEP+ clinic:

- HIV screening (standard test, rapid screening test, anonymous testing)
- Sexually transmitted and blood-borne infection screening and treatment, whether or not the person has symptoms
- Hepatitis A and B vaccination, HPV vaccination
- Emergency treatment following exposure to HIV (post-exposure prophylaxis—or PEP)
- Pre-exposure prophylaxis—or PrEP—to prevent HIV infection

Already have a request from your doctor (or Go Freddie)? Do not make an appointment with us and contact a blood collection center

: portal3.clicsante.ca

For screening services aimed at other clientele, call Info-Santé at 811, or visit [Québec's HIV/AIDS portal](#) for a list of STBBI screening resources.

Satisfaction Survey

Did you receive services at SIDEP + Clinic? Help us improve by completing our online satisfaction survey!

[Satisfaction Survey](#)

Other resources

- [RÉZO](#)
- [ACCM \(AIDS Community Care Montreal - SIDA bénévoles Montréal\)](#)
- [Maison Plein Coeur](#)
- [Le Portail VIH/sida du Québec](#)

See also

- [HIV/AIDS](#)
- [Sexually transmitted infections \(STIs\)](#)
- [Testing for HIV/AIDS and STBBIS](#)
- [The Sex Health Guide](#)